

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("6427170") or ("6229540")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:47
L2	2	("6826715").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/15 14:50
L3	1	2 and update	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:50
L4	1	2 and update\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:50
L5	1	2 and updat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:52
L6	2359	configur\$6 near4 (data or info or information) near4 (ID or version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:53
L7	982	configur\$6 near4 (data or info or information) near4 (version)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:53
L8	132	7 with ((new or updat\$4 or latest) near4 (version))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:30
L9	8547	compar\$4 near4 version	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:30

L10	5	9 with before with (send\$4 or transmit\$4 or transfer\$4) with (data or info or information or packet of software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:39
L11	8	9 with before with (send\$4 or transmit\$4 or transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:36
L12	531	9 with (send\$4 or transmit\$4 or transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:35
L13	9	9 with prior with (send\$4 or transmit\$4 or transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:36
L14	13	9 with before with updat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:48
L15	315	compar\$4 with version with (Before or prior or previous or ahead or beforehand) with (updat\$4 or chang\$4 or modif\$4 or send\$4 or transmit\$4 or transfer\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 15:49
L16	263	compar\$4 with version with (Before or prior or previous or ahead or beforehand) with (updat\$4 or chang\$4 or modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:21
L17	933	717/168,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:02
L19	10	16 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:02
L20	159	(compar\$4 near\$4 version) with (Before or prior or previous or ahead or beforehand) with (updat\$4 or chang\$4 or modif\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:25

L21	25	(compar\$4 near4 version) with (Before or prior or previous or ahead or beforehand) with (load\$4 or down\$load\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 16:26
S1	0	((IP near3 address) with (MAC near3 address)) same ((remote or foregin) near3 configur\$6 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/15 14:47
S2	29	((IP near3 address) with (MAC near3 address)) and ((remote or foregin) near3 configur\$6 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:30
S3	2	"6971095".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 16:14
S4	59732	software and hardware and (configur\$6 near3 (data or info or information or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:31
S5	1809	software with hardware with (configur\$6 near3 (data or info or information or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:31
S6	870	software near4 hardware near4 (configur\$6 near3 (data or info or information or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:32
S7	105	S6 and ((fault or failure or fail or fail\$over) near4 (pc or terminal or node of computer or element or unit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/13 09:33